

INOXMARE®

COUNTERSUNK CHIPBOARD SCREWS, PARTIAL THREAD



DATASHEET
ITEM 9105

FASTENERS | MARINE HARDWARE | FITTINGS | SOLAR

ITEM 9105

TECHNICAL SPECIFICATIONS

The partial thread only extends over part of the screw length. Partial thread screws are particularly suitable for fastening wooden panels to wooden beams. The part without the thread must always be selected so that it corresponds at least to the thickness of the panel to be screwed.

The thread in the lower wood piece is tightened, while the upper wood piece is tightened to the lower wood piece through the screw head.

Material	stainless steel
Quality	A2
Thread type	wood thread
Surface	clean and bright

YOUR ADVANTAGES



POZI-DRIVE = SCREWING IN SAFETY

- › Increased torque without cam-out
- › Greater surface contact engagement between the drive and the recess in the fastener head making it harder to slip when installed correctly



DOUBLE HEAD

- › greater tightness


PRACTICES



WOOD AND FURNITURE CONSTRUCTIONS

FASTENERS | MARINE HARDWARE | FITTINGS | SOLAR

DIMENSIONS (MM)



Diameter D	3	3,5	4	4,5	5	6
k	1,60 – 1,90	1,80 – 2,10	2,10 – 2,50	2,30 – 2,70	2,60 – 3,00	3,10 – 3,60
dk	5,60 – 6,00	6,60 – 7,00	7,50 – 8,00	8,50 – 9,00	9,50 – 10,00	11,50 – 12,00
D ₁	1,80 – 2,00	2,00 – 2,20	2,30 – 2,50	2,50 – 2,70	2,80 – 3,10	3,50 – 3,80
Ø 	2	2	2	2	3	3
PZ	Z1	Z2	Z2	Z2	Z2	Z3

FASTENERS | MARINE HARDWARE | FITTINGS | SOLAR

DIMENSIONS (MM)

Length l / Ø	3	3,5	4	4,5	5	6
	b					
25	18	18	18	18	18	18
30	18	18	18	18	18	18
35	24	24	24	24	24	24
40	24	24	24	24	24	24
45	30	30	30	30	30	30
50	30	30	30	30	30	30
60			36	36	36	36
70			36	36	36	36
80			36	36	36	36
90			42	42	42	42
100			48	48	48	48
110				54	54	54
120				60	60	70
130					70	70
140					70	70
150						70
160						70
180						70
200						70

X = available ex stock

Further dimensions are available on request

FASTENERS | MARINE HARDWARE | FITTINGS | SOLAR

Via Pomposa, 51/i
47924 - Rimini (RN) - ITALY

Tel. +390541.794444 Fax +390541.794490
info@inoxmare.it -www.inoxmare.com